



BEFORE



AFTER

## Brickform Cem-Coat Made-to-Order Colored Cementitious Coating

Cem-Coat is an opaque, high-strength, cement-based concrete coating. Cem-Coat is perfect for any unsealed concrete surface that needs to be re-colored. Cem-Coat offers a re-surfacing solution that is durable with consistent coloring. Whether a solid color, antiqued, or an artistic stained surface, Cem-Coat offers versatility in applications and final outcomes.

- Coverage rate: 350 to 420 ft<sup>2</sup> per kit
- 42 standard colors
- Custom color matching
- Richly pigmented colors
- UV-resistant
- Interior/Exterior
- Suitable for all cementitious surfaces
- Compatible with Antique-it



CC4-      42 Standard Colors      Large Kit  
(Including black and white)

## Brickform Stampable Overlay Concrete Overlay

Brickform Stampable Overlay "White" is a single component (add water only) blend of white cement and special materials that forms a thin, concrete coating. Brickform Stampable Overlay is specially designed to work with Brickform Overlay Liquid Colorant. Brickform Stampable Overlay is easy to install and forms a tough, durable topping that will withstand years of wear. When used on properly prepared surfaces, Brickform Stampable Overlay will permanently bond to concrete surfaces.



- Approx. 0.45 ft<sup>2</sup> per lb at 1/4" thickness
- 27 ft<sup>2</sup> per bag at 1/4" thickness
- Use with overlay liquid colorant
- Durable
- Use with Triple Seven Bond Coat
- For use with Overlay Liquid Colorant and Liquid Release only

SC-60      60 lb. bag (White Mix)




Brickform Stampable Overlay "Gray" is a premixed blend of special materials that, when mixed with water, forms a thin, concrete coating. This overlay is intended for use with Color Hardener and Antique Release.

- Approx. 0.45 ft<sup>2</sup> per lb at 1/4" thickness
- 27 ft<sup>2</sup> per bag at 1/4" thickness
- Can be textured & colored
- Durable
- Use with Triple Seven Bond Coat
- For use with Color Hardener and Antique Release only



OL-60      5 Gallon Bucket (Gray Mix)



## Brickform Micro-Topping Smooth Grade

Brickform Micro-Topping is used on interior or exterior cured concrete to create a durable surface that can be colored or stained. It is available as a white or gray dry powder in smooth grade, and mixed with Brickform Liquid Polymer. The smooth grade is applied over SM Professional Grade for a smooth finish when desired. The mixed materials form a thin concrete coating that can be used to restore or repair any concrete surface.

- 150 to 350 ft<sup>2</sup> per 40 lb bag
- Use with overlay liquid colorant
- Use with Triple Seven Bond Coat
- Creates a new surface
- Can be colored & stained



MT-1500 SG	Gray Smooth	40 Lb. Bag
MT-2500 SG	White Smooth	40 Lb. Bag
MT-3000	Liquid Polymer	5 Gallon Bucket



## SM Professional Grade Rough Grade Micro-Topping

Brickform SM Professional Grade is a white, sprayable cementitious overlay that is designed to be mixed with Brickform Liquid Polymer and applied with a hopper gun. It can be integrally colored using Brickform Overlay Liquid Colorant. Brickform SM Professional Grade can be used to create the look of brick, stone, tile or other unique specialty finishes.

- 150 to 300 ft<sup>2</sup> per bag for base coat, depending on porosity of concrete
- 150 to 200 ft<sup>2</sup> per bag for texture coat, troweled or sprayed
- Use with Overlay Liquid Colorant
- Use with Triple Seven Bond Coat
- Can be stained
- Spray or trowel



**TIP: Use design tape to create patterns that mimic stone, tile or slate. See page 45 for details.**

MT-4000	SM Pro Grade	60 Lb. Bag
MT-3000	Liquid Polymer	5 Gallon Bucket



## Brickform Triple Seven Bond Coat Primer for Cementitious Overlays

Brickform Triple Seven Bond Coat prevents the concrete from absorbing water from the overlay material, making it easier to spread and achieve a smooth surface. Triple Seven Bond Coat is a reactive primer, remaining active for at least two hours after it is applied. Triple Seven Bond Coat increases the bond strength by creating a more efficient chemical link between the concrete and the overlay.

- 160 to 200 ft per gal
- “Reactive primer”
- Easy application
- Enhances bonding to concrete

BC-007      5 Gallon  
 BC-0071     1 Gallon  
 BC4-0071    Case of four 1 Gallon units



## Liquid Polymer

Brickform Liquid Polymer is specifically designed to be compatible with BRICKFORM SM Professional Grade and BRICKFORM Micro-Topping.

MT-3000      Liquid Polymer      5 Gallon Bucket



## Overlay Liquid Colorant

Specifically designed for Brickform Micro-Topping, SM Professional Grade and Stampable Overlay (SC-60, White Mix). Use one bottle per bag.

- Available in 35 standard colors.
- Six per case, cannot break cases.

\*Overlay Liquid Colorant not available in Smokey Blue, White or NEW colors.

MTC-            10 Oz. Bottle



## Turtle Set

Brickform Turtle Set is a retardant designed for use with Brickform SM Professional Grade, Micro-Topping, OL-60 and SC-60 Stampable overlay products. Easily measured liquid form increases pot life and set times for greater control with resurfacing products in warm weather.

TS-1            1 Gallon Bottle  
 TS4-1          Case of four 1 Gallon Bottles



## Design Tape

- Create the patterns that mimic stone, tile or slate
- Will not disintegrate, shed fiber hairs or cause grout bleeds
- No glue residue
- Strong and versatile
- Eliminates the need for chalk lines
- 180 feet per roll



LDT90      1/4" Grout Line Design Tape (36/tube, 144/case)  
 LDT91      1/2" Grout Line Design Tape (18/tube, 48/case)  
 LDT92      3/4" Grout Line Design Tape (12/tube, 48/ case)

## Vertical Mix

Brickform Vertical Mix is a lightweight vertical overlay mix designed for texturing vertical surfaces up to 2" and creating simulated stone, rock, tile, slate and other natural surfaces. It is composed of cement, polymers, lightweight aggregates and admixtures. It may be applied to vertical surfaces such as wood, drywall, concrete, blocks, etc.


- 1/2" thickness covers approximately 10 ft<sup>2</sup> per bag
- Add-water only product
- Color with Overlay Liquid colorant or stain
- Easily textured by carving and stamping

VM-1000, Vertical Mix, 45 lb. bag




## Rock Fall, VM-125

27.75" x 12" (70.49 x 30.48 cm), Pattern: A, B and C



## Dry Stack, VM-100


27.75" x 12" (70.49 x 30.48 cm), Pattern: A, B and C



## Pebble Skin, VM-1075 A or B

16" x 16" (40.64 x 40.64 cm)

Pebble Skin Roller, VM-2075, 8.5"




## Rough Stone Skin, VM-1025

B

16" x 16" (40.64 x 40.64 cm)

Rough Stone Skin Roller, VM-2025, 8.5"



## Intensity Skin, VM-1050 A or B

16" x 16" (40.64 x 40.64 cm)

Intensity Skin Roller, VM-2050, 8.5"

